U.S. DEPARTMENT OF COMMERCE
National Technical Information Service
PB80-122609

Seattle Tolt Water Supply Mixed Asbestiform Removal Study. Appendix D

Seattle Dept of Water, WA Water Quality Div

Prepared for

Municipal Environmental Research Lab, Cincinnati, OH

Aug 79

United States
Environmental Protection
Agency

Municipal Environmental Research
Laboratory
Cincinnati OH 45268

EPA-600/2-79-126
August 1979

Research and Development

PB80-122609

EPA

Seattle Tolt Water Supply Mixed Asbestiform Removal Study

Appendix D

REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

RESEARCH REPORTING SERIES

Research reports of the Office of Research and Development, U.S. Environmental Protection Agency, have been grouped into nine series. These nine broad categories were established to facilitate further development and application of environmental technology. Elimination of traditional grouping was consciously planned to foster technology transfer and a maximum interface in related fields. The nine series are:

1. Environmental Health Effects Research
2. Environmental Protection Technology
3. Ecological Research
4. Environmental Monitoring
5. Socioeconomic Environmental Studies
6. Scientific and Technical Assessment Reports (STAR)
7. Interagency Energy-Environment Research and Development
8. "Special" Reports
9. Miscellaneous Reports

This report has been assigned to the ENVIRONMENTAL PROTECTION TECHNOLOGY series. This series describes research performed to develop and demonstrate instrumentation, equipment, and methodology to repair or prevent environmental degradation from point and non-point sources of pollution. This work provides the new or improved technology required for the control and treatment of pollution sources to meet environmental quality standards.

This document is available to the public through the National Technical Information Service, Springfield, Virginia 22161.

TECHNICAL REPORT DATA
(Please read Instructions on the reverse before completing)

1. REPORT NO. EPA-600/2-79-126	2.
3. RECIPIENT'S ACCESSION NO. PB80-122609	
4. TITLE AND SUBTITLE SEATTLE TOLT WATER SUPPLY MIXED ASBESTIFORM REMOVAL STUDY Appendix D	5. REPORT DATE August 1979 (Issuing Date) 6. PERFORMING ORGANIZATION CODE
7. AUTHOR(S) Gregory J. Kirmeyer	8. PERFORMING ORGANIZATION REPORT NO.
9. PERFORMING ORGANIZATION NAME AND ADDRESS Water Quality Division Seattle Water Department 1509 South Spokane Street Seattle, Washington 98144	10. PROGRAM ELEMENT NO. 1CC614 SOS 1 Task 06 11. CONTRACT/GRANT NO. R-804422
12. SPONSORING AGENCY NAME AND ADDRESS Municipal Environmental Research Laboratory--Cin.,OH Office of Research & Development U.S. Environmental Protection Agency Cincinnati, Ohio 45268	13. TYPE OF REPORT AND PERIOD COVERED Final 5/76 - 11/78 14. SPONSORING AGENCY CODE EPA/600/14

15. SUPPLEMENTARY NOTES Appendix D is supplementary to main report, EPA-600/2-79-125. Additional supplementary material is in Appendices B and C, EPA-600/2-79-153. Project Officer: Gary Logsdon 513/684-7345.

16. ABSTRACT For 1 1/2 years the Seattle Water Department conducted direct filtration pilot plant studies at the Tolt Reservoir, obtaining data on techniques to remove amphibole and chrysotile asbestos from drinking water. Research showed that filtered water turbidity should be 0.1 ntu or lower in order to effectively remove fibers. Flocculation was necessary but sedimentation was not. Amphibole fibers are more readily removed than chrysotile, but both types could be reduced to below detectable limits or to not statistically significant counts by treatment with alum, lime and a filter aid (nonionic or anionic polymer); or alum, cationic polymer and a filter aid; or cationic polymer and a filter aid. Asbestos fiber content of filtered water increased sharply when filtered water turbidity rose above 0.1 ntu because of filtration rate changes, interruption of chemical feed, or turbidity breakthrough associated with the end of the filter run. Asbestos fibers in the concentrations encountered in this study (raw up to 20 x 10^6 f/L, filtered down to 0.01 x 10^6 f/L) can not be detected by a turbidimeter; however, the association of rising fiber counts and turbidities in filtered water would enable a plant operator to estimate fiber removal by observing turbidity if the filter was operated in the manner done in this work. This appendix lists flow schematics tested during the pilot study and contains plots of headloss and turbidity vs. time for each filter run.

17. KEY WORDS AND DOCUMENT ANALYSIS

a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
Asbestos, Coagulation, Electron microscopes, Filtration, Pilot plants, Potable water, Turbidity, Water treatment	Seattle, Washington Tolt Reservoir Fiber removal, Chrysotile, Amphibole, Direct filtration, Flocculation	13 B

18. DISTRIBUTION STATEMENT RELEASE TO PUBLIC	19. SECURITY CLASS *(This Report)* UNCLASSIFIED 20. SECURITY CLASS *(This page)* UNCLASSIFIED	21. NO. OF PAGES 297 22. PRICE A13-A01

EPA Form 2220-1 (9-73)

* U.S. GOVERNMENT PRINTING OFFICE 1979 -657-060/5449

EPA-600/2-79-126
August 1979

SEATTLE TOLT WATER SUPPLY
MIXED ASBESTIFORM REMOVAL STUDY

Appendix D

by

Gregory J. Kirmeyer
Water Quality Division
Seattle Water Department
Seattle, Washington 98144

Grant No. 804422

Project Officer

Gary S. Logsdon
Drinking Water Research Division
Municipal Environmental Research Laboratory
Cincinnati, Ohio 45268

MUNICIPAL ENVIRONMENTAL RESEARCH LABORATORY
OFFICE OF RESEARCH AND DEVELOPMENT
U.S. ENVIRONMENTAL PROTECTION AGENCY
CINCINNATI, OHIO 45268

DISCLAIMER

This report has been reviewed by the Municipal Environmental Research Laboratory, U.S. Environmental Protection Agency, and approved for publication. Approval does not signify that the contents necessarily reflect the views and policies of the U.S. Environmental Protection Agency, nor does mention of trade names or commercial products constitute endorsement or recommendation for use.

FOREWORD

The Environmental Protection Agency was created because of increasing public and government concern about the dangers of pollution to the health and welfare of the American people. Noxious air, foul water, and spoiled land are tragic testimony to the deterioration of our natural environment. The complexity of that environment and the interplay between its components require a concentrated and integrated attack on the problem.

Research and development is that necessary first stop in problem solution and it involves defining the problem, measuring its impact, and searching for solutions. The Municipal Environmental Research Laboratory develops new and improved technology and systems for the prevention, treatment, and management of wastewater and solid and hazardous waste pollutant discharges from municipal and community sources, for the preservation and treatment of public drinking water supplies, and to minimize the adverse economic, social, health, and aesthetic effects of pollution. This publication is one of the products of that research; a most vital communications link between the researcher and the user community.

This report and its appendixes present the results of pilot plant filtration research on the removal of naturally occurring asbestiform fibers from a protected mountain water source. This appendix contains a listing of the flow schematics tested during the pilot study and plots of headloss and turbidity vs. time for each filter run.

Francis T. Mayo, Director
Municipal Environmental Research
Laboratory

ABSTRACT

Pilot plant research conducted during 1977 and 1978 demonstrated that both amphibole and chrysotile asbestos can be removed using direct filtration techniques at filter loading rates as high as 10 gpm/ft^2. Since asbestos fibers, especially chrysotile, were found to be quite sensitive to changes in the treatment process, vigilant control over chemical additions and finished water turbidity is a necessity. During the study, engineering data were also obtained for making cost estimates for construction and operation of a 100 MGD granular media filtration plant.

Appendix D-1 contains a listing of the flow schematics tested during the pilot study and Appendix D-2 contains plots of headloss and turbidity vs. time for each filter run.

This report was submitted in fulfillment of Grant No. 804422 by the Seattle Water Department under the sponsorship of the U.S. Environmental Protection Agency. This report covers a period from May, 1976 to November, 1978 and work was completed March, 1979.

CONTENTS

Appendix		Page
D-1	Listing of Flow Schematics Tested During Pilot Study	1
D-2	Plots of Headloss and Turbidity vs. Time for Each Filter Run.	4

NOTES

Each plot has certain basic information contained on it which may be useful in referencing the main report or appendixes.

1. The raw water turbidity (NTU) for the filter run is listed as "RAW WATER TURB = X.XX".

2. The run number is listed at the top of each plot. Except for the first twelve runs, run numbers ending in the letters F, C, and M indicate that a filter column with a certain type of filter media was used:

   F - indicates dual media with fine coal.
   C - indicates dual media with coarse coal.
   M - indicates mixed media with MS-6 sand.

   The first twelve runs and all run numbers without a letter attached were performed on the Waterboy pilot plant filter.

3. To determine the flow schematic that was used for the run of interest, a letter designating the schematic is also included on the plot, i.e., "Schematic A". The various schematics used may be found in Appendix D-1.



Figure D-1. Listing of flow schematics tested during pilot study.



Figure D-1. Listing of flow schematics tested during pilot study.

(Continued)



Figure D-1. Listing of flow schematics tested during pilot study.

(Continued)

HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 4A



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 4B



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 4C



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 5A



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 5B



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 5C



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 6A



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 6B



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 6C



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 6D



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 07



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 08



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 09



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 10



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 11



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 12A



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 126



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 12C



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 13



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 14



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 15



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 16



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 17



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 18



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 19



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 20



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 22



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 23



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 24



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 25



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 26



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 27



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 28



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 29



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 30



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 31



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 33



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 34



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 35



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 37



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 38



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 39



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 40



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 41



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 42



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 44



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 45



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 46



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 47



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 48



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 49



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 50



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 51



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 60



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 61



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 62



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 63



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 64



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 65



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 66



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 68



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 69



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 70



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 71



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 74



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 75



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 76



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 77



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 78



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 79



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 80



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 80M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 81



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 81M



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 82



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 82M



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 83



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 83M



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 84



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 84M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 85



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 85M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 86



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 86M



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 87



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 87M



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 88



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 88M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 89



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 89M



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 89B



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 89BM



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 90



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 90M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 91



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 91M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 92



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 92M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 93



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 93M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 94



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 94M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 95



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 95M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 96



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 96M



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 97



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 97M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 98



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 98M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 99



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 99M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 100



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 100M



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 101



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 101M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 102



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 102M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 103



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 103M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 104



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 104M



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 105



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 105M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 106



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 106M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 107



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 107M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 108



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 108M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 109



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 109M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 110



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 110M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 110A



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 110MA



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 111



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 111M



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 112



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 112M




HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 113
Schematic D
= HEADLOSS
= TURBIDITY
RAW WATER TURB = 4.9
HEADLOSS (FEET)
TURBIDITY (NTU)
TIME (HOURS)

HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 114



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 115



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 116



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 117



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 118



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 119



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 119M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 120



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 120M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 121



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 121M



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 122



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 122M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 123



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 123M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 124



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 124M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 125



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 125M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 126



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 126M



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 127



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 127M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 128



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 128M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 129



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 129M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 130




HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 130M
Schematic C
□ = HEADLOSS
▲ = TURBIDITY
RAW WATER TURB = 1.9
HEADLOSS (FEET)
TURBIDITY (NTU)
TIME (HOURS)

HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 131



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 131M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 132



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 132M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 133



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 133M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 134



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 134M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 135



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 135M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 136



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 136M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 137



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 137M



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 138



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 138M



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 138F



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 139



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 139M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 139F



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 139C



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 140



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 140M



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 140F



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 140C



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 141



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 141M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 141F



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 141C



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 142



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 142M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 142F



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 142C



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 143



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 143M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 143F



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 143C



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 144



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 144M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 144F



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 144C



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 145



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 145M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 145C



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 145F



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 146



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 147



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 147M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 147F



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 147C



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 148



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 148M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 148F



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 148C



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 149



HEADLOSS AND TURBIDITY VS TIME

RUN NUMBER 150



HEADLOSS AND TURBIDITY VS TIME

RUN NUMBER 151



HEADLOSS AND TURBIDITY VS TIME

RUN NUMBER 151MM



HEADLOSS AND TURBIDITY VS TIME

RUN NUMBER 151FC



HEADLOSS AND TURBIDITY VS TIME

RUN NUMBER 151CC



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 152



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 152M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 152F



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 152C



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 153



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 153M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 153F



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 153C



HEADLOSS AND TURBIDITY VS TIME

RUN NUMBER 154



HEADLOSS AND TURBIDITY VS TIME

RUN NUMBER 154MM



HEADLOSS AND TURBIDITY VS TIME

RUN NUMBER 154FC



HEADLOSS AND TURBIDITY VS TIME

RUN NUMBER 154CC



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 155



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 155M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 155C



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 156



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 156M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 156F



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 156C



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 157



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 157M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 157F



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 157C



HEADLOSS AND TURBIDITY VS TIME

RUN NUMBER 160



HEADLOSS AND TURBIDITY VS TIME

RUN NUMBER 160MM



HEADLOSS AND TURBIDITY VS TIME

RUN NUMBER 160FC



HEADLOSS AND TURBIDITY VS TIME

RUN NUMBER 160CC



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 161



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 161M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 161F



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 161C



HEADLOSS AND TURBIDITY VS TIME

RUN NUMBER 162



HEADLOSS AND TURBIDITY VS TIME

RUN NUMBER 162MM



HEADLOSS AND TURBIDITY VS TIME

RUN NUMBER 162FC



HEADLOSS AND TURBIDITY VS TIME

RUN NUMBER 162CC



HEADLOSS AND TURBIDITY VS TIME

RUN NUMBER 163



HEADLOSS AND TURBIDITY VS TIME

RUN NUMBER 163MM



HEADLOSS AND TURBIDITY VS TIME

RUN NUMBER 163FC



HEADLOSS AND TURBIDITY VS TIME

RUN NUMBER 163CC



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 168



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 168M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 168F



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 168C



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 169



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 169M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 169F



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 169C



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 170



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 170M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 170F



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 170C



HEADLOSS AND TURBIDITY
VS TIME
RUN NUMBER 171



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 171M



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 171F



HEADLOSS AND TURBIDITY VS TIME RUN NUMBER 171C